




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




- NOTES:  
1. REF. EUROCOPTER T/N: 355A94-3440-07.  
2. PART OF KIT RBE350A94-3400-04.  
3. GRIND FLUSH AFTER INSTALLATION.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BASE	A36	3/8 X 3-3/8 X 4-1/2	2
			-3	1	CLEAR SIGHT	POLYCARBONATE	.078 X 3-7/8 X 3-1/8 MCMaster-CARR #1749K84	3
			-5	2	BUSHING	STEEL BACKED BRONZE	6mm MCMaster-CARR #6679K11 (MODIFIED)	4
		B/O	-7	4	BOLT	STEEL	M6X1 X 25mm MCMaster-CARR #91280A334	1
		B/O	-9	2	WASHER	STEEL	M6 MCMaster-CARR #91455A120	1
		B/O	-11	2	LRG. WASHER	STEEL	M6 MCMaster-CARR #91100A150	1
		B/O	-13	4	NUT	STEEL	M6X1 MCMaster-CARR #90591A151	1
		B/O	-15	2	DRIVE SCREW	ZINC PLATED STEEL	#7 X 3/8 MCMaster-CARR #90081A168	1


RED BARN MACHINE	
TITLE SIGHT PATTERN BEARING BLOCK	
DWG NO. RBE355A94-3440-07	REV
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: SMITH APPROVED HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AS350, AS355
SCALE 1:2	DATE 9/24/2013
SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





(-1)  
BASE



<b>RED BARN MACHINE</b>		
<b>TITLE</b> SIGHT PATTERN BEARING BLOCK		
<b>DWG NO.</b> RBE335A94-3440-07-1	<b>REV</b>	
<b>MAT'L</b> A36	<b>DRAWN BY:</b> SMITH	
<b>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES</b> .XXX $\pm$ .005 .XX $\pm$ .01 .X $\pm$ .1 FRACTIONS $\pm$ 1/32 ANGLES $\pm$ 5° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>APPROVED</b> <i>D Weil</i> <b>HEAT TREAT</b> CAD PLATE YELLOW <b>SPEC</b> QQ-P-416F, TYPE II, CLASS II <b>USED ON MODEL</b> AS350, AS355	
	<b>SCALE</b> 1:1	<b>DATE</b> 9/24/2013
	<b>SHEET 2 OF 4</b>	




REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



 <h1>RED BARN MACHINE</h1>	
TITLE <h2>SIGHT PATTERN BEARING BLOCK</h2>	
DWG NO. <h3>RBE335A94-3440-07-3</h3>	REV
MAT'L POLYCARBONATE UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: SMITH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL AS350, AS355
1. BREAK ALL SHARP EDGES .015 x .45" OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE 1:1 DATE 9/24/2013 SHEET 3 OF 4


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-5)

BUSHING

 <b>RED BARN MACHINE</b>	
<b>TITLE</b> <b>SIGHT PATTERN BEARING BLOCK</b>	
<b>DWG NO.</b> RBE355A94-3440-07-5	<b>REV</b>
<b>MAT'L</b> STEEL BACKED BRONZE	<b>DRAWN BY:</b> SMITH
<b>UNLESS OTHERWISE SPECIFIED</b> <b>DIMENSIONS ARE IN INCHES</b> .XXX ± .005      FRACTIONS ± 1/32 .XX ± .01      ANGLES ± 5° .X ± .1	<b>APPROVED</b> <i>D Weil</i> <b>HEAT TREAT</b> <b>FINISH</b> <b>SPEC</b>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>USED ON MODEL</b> AS350 & AS355
<b>SCALE</b> 4:1	<b>DATE</b> 9/27/2013 <b>SHEET 4 OF 4</b>